

簡便信箱儲存 操作說明書



- 其他商品名稱、公司名稱一般為各公司所屬的商號、註冊商標或商標。

請注意

1. 本說明書已申請著作權並保留所有權限。依著作權法，未經出版者書面同意，不得擅自複印、轉載本說明書全部或部分內容。
2. 本說明書的內容可能不作預告而隨時更改。
3. 歡迎對本說明書語意不明、錯誤、漏敘或缺頁之處給予指正。
4. 切勿對機器進行任何在本說明書中未提及的操作，以免引起故障或意外。本公司將不對因擅自操作造成的後果負責。

Xerox、Xerox and Design 及Fuji Xerox and Design (含文字商標與球形設計) 為Xerox Corporation在日本和/或其他國家的註冊商標或商標。
CentreWare是Xerox Corporation於日本及/或其他國家的註冊商標或商標。

前言

感謝您選擇我們的產品。

本說明書將說明如何設定“簡便信箱儲存”（以下簡稱“套件”）並提及操作期間必須遵循的注意事項。若要使此套件發揮最大功效並有效使用，請確認在使用前閱讀此說明書。

此說明書假設您已經熟悉個人電腦和您的機器。

有關更多個人電腦的詳情，請參照個人電腦隨附說明書。有關更多如何操作機器的詳情，請參照各機器隨附的說明書（『管理者說明書』/『操作說明書』）。

Fuji Xerox Co., Ltd.

本書的使用方法

本說明書將說明在機器上安裝此套件後如何操作複印、掃描和列印功能，以及如何進行機器管理者設定。

組織架構

本說明書包含下列章節：

■簡便信箱儲存

說明「簡便信箱儲存」的基本操作、功能和機器管理者設定。

本書的標記

- 本說明書使用的畫面影像和機器畫面顯示的影像可能會有所不同，端視升級時所用的軟體而定。
- 端視您機器的設定而定，此說明書使用的畫面影像中的某些項目可能不會顯示或無法使用。
- 本說明書中的「電腦」指的是個人電腦或工作站。
- 下列為本說明書中所使用的字彙：
 - 重要 ： 您應閱讀的重要資訊。
 - 補充 ： 有關操作或功能的其他詳情。
- 下列為本說明書中所使用的符號：
 - " " ： • 本說明書中包含的交互參照。
 - ： • 功能名稱、觸控式顯示幕的訊息與輸入文字。
 - [] ： • 觸控式顯示幕上顯示的信箱、文件、應用程式、按鍵或選單名稱。
 - ： • 電腦畫面上顯示的選單名稱、指令、視窗或對話框及其按鍵與選單名稱。
 - < >鍵 ： 控制面板上的硬體按鍵。
 - < >鍵 ： 電腦鍵盤上的按鍵。
 - > ： • 控制面板上的程序中特定項目路徑。
 例如：當看到"選擇[設定/登記]>[設定]>[信箱登記]"程序，就表示您需要選擇[設定/登記]、選擇[設定]然後再選擇[信箱登記]。
 - ： • 電腦上的程序中特定項目路徑。
 例如：當看到"若要檢索文件和信箱，請點選[開始]>[檢索]>[針對文件或信箱]"，就表示您需要點選[開始]、點選[檢索]然後再點選[針對文件或信箱]來檢索文件和信箱。
 - 交互參照
 例如：請參照『管理者說明書』中的"第5章工具">"共通設定">"聲音設定"。
 上述這句話代表您需要參照"聲音設定"一節，可以在『管理者說明書』中的第5章工具下的"共通設定"中找到。

目錄

前言	3
本書的使用方法	4
組織架構	4
本書的標記	5
目錄	6
簡便信箱儲存	7
掃描程序	7
取消掃描工作	8
各畫面上的設定項目	9
建立OneTouch應用程式	15
複製應用程式	17
機器管理者設定	19
發生故障時	21
注意事項與限制	23
About Licenses	24
索引	33

簡便信箱儲存

「簡便信箱儲存」讓您可以透過簡單的程序將掃描的資料儲存到信箱。

您可以用來輕鬆選擇儲存位置的信箱。

您也可以藉由變更各功能的設定值來建立OneTouch應用程式，也可藉由變更「簡便信箱儲存」的初值和顯示順序，來建立不同於[簡便信箱儲存]鍵的功能鍵。

本章將說明此功能的下列項目。

掃描程序	7
取消掃描工作	8
各畫面上的設定項目	9
建立OneTouch應用程式	15
複製應用程式	17
機器管理者設定	19
發生故障時	21
注意事項與限制	23

掃描程序

本節將說明「簡便信箱儲存」的基本操作。


1 放置文件。

有關如何放置文件的詳情，請參照『操作說明書』。

2 使用認證功能時登入。

1) 請按<認證>鍵。

2) 使用畫面上顯示的數字鍵盤或鍵盤輸入使用者ID，並選擇[確定]。



補充

- 如果需要輸入密碼，請先輸入使用者ID和密碼，然後選擇[下一步]。
- 如果您使用IC卡，請將IC卡碰一下IC卡讀卡器以進入認證模式。

3 選擇「自定義功能」畫面上的[簡便信箱儲存]。




4 選擇要儲存掃描資料的信箱。



補充 • 若畫面上僅顯示一個信箱，則會自動選擇該信箱。

5 依需要設定各項目。



有關各項目的詳情，請參照“各畫面上的設定項目”（第9頁）。

6 按下控制面板上的<啟動>鍵。

重要 • 若此功能是在通常的功能畫面上啟動，則機器在使用此功能時不會接受其他工作。


7 確認文件已儲存到信箱中。

有關確認文件已儲存到信箱中的詳情，請參照『操作說明書』。


取消掃描工作

本節將說明如何取消掃描工作。

1 按下控制面板上的<停止>鍵，或選擇觸控式顯示幕上的[停止]。



2 選擇[中止]。




各畫面上的設定項目

本節將說明可在各畫面上設定的項目。

[簡便信箱儲存]畫面

以下內容將說明可在[簡便信箱儲存]畫面上設定的項目。



■ 按鍵

若選擇此按鍵，將會顯示機器管理者設定畫面。

有關機器管理者設定畫面的詳情，請參照“機器管理者設定”（第19頁）。

補充 • 具有機器管理者權限的經認證使用者登入時，會顯示此按鍵。

■ 按鍵

若選擇此按鍵，您可從[OneTouch應用程式的建立]、[應用程式的複製]和[初值儲存]中選擇。

- OneTouch應用程式的建立

您可以根據[簡便信箱儲存]和[所有的功能]設定來建立OneTouch應用程式。

若選擇此按鍵，將會顯示[OneTouch應用程式的建立]畫面。

有關更多詳情，請參照“建立OneTouch應用程式”（第15頁）。

- 應用程式的複製

您可以根據[簡便信箱儲存]和[所有的功能]畫面上的設定來複製OneTouch應用程式。您也可以從[簡便信箱儲存]功能鍵來建立不同的功能鍵。

若選擇此按鍵，將會顯示[應用程式的複製]畫面。

有關更多詳情，請參照“複製應用程式”（第17頁）。

- 初值儲存

您可以把在[簡便信箱儲存]和[所有的功能]畫面上進行的設定儲存為初值。

確認畫面隨即出現。選擇[是(儲存)]。

■色彩模式

從[自動]、[全彩]、[灰階(256色階)]和[黑白(2色階)]中選擇。

補充 • 當被限制使用彩色掃描功能的使用者選擇了[自動]或[全彩]，或當被限制使用黑白掃描功能的使用者選擇了[自動]、[灰階(256色階)]或[黑白(2色階)]時，會顯示錯誤訊息且該設定會被刪除。

■雙面原稿輸送

從[單面]、[雙面(左右對開)]和[雙面(上下對開)]中選擇。

補充 • 當[頁連寫]畫面上設定了頁連寫功能，就無法選擇[雙面(左右對開)]和[雙面(上下對開)]。

■檔案名稱

選擇後將顯示[檔案名稱]畫面。

有關更多詳情，請參照"[檔案名稱]畫面" (第12頁)。

補充 • 將泰文設為機器語言時，不顯示[檔案名稱]。將顯示[掃描解析度]。有關[掃描解析度]的詳情，請參照"掃描解析度" (第12頁)

[所有的功能]畫面

以下內容將說明可以在[所有的功能]畫面設定的項目。



■ 按鍵

若選擇此按鍵，將會顯示機器管理者設定畫面。

有關機器管理者設定畫面的詳情，請參照"機器管理者設定" (第19頁)。

補充 • 具有機器管理者權限的經認證使用者登入時，會顯示此按鍵。

■ 按鍵

若選擇此按鍵，您可從[OneTouch應用程式的建立]、[應用程式的複製]、[初值儲存]和[清單的編輯]中選擇。

• OneTouch應用程式的建立

您可以根據[簡便信箱儲存]和[所有的功能]設定來建立OneTouch應用程式。

若選擇此按鍵，將會顯示[OneTouch應用程式的建立]畫面。

有關更多詳情，請參照"建立OneTouch應用程式" (第15頁)。

• 應用程式的複製

您可以根據[簡便信箱儲存]和[所有的功能]畫面上的設定來複製OneTouch應用程式。您也可以從[簡便信箱儲存]功能鍵來建立不同的功能鍵。

若選擇此按鍵，將會顯示[應用程式的複製]畫面。

有關更多詳情，請參照"複製應用程式" (第17頁)。

• 初值儲存

您可以把在[簡便信箱儲存]和[所有的功能]畫面上進行的設定儲存為初值。

確認畫面隨即出現。選擇[是(儲存)]。

- 清單的編輯

您可以在[所有的功能]畫面上變更項目的顯示順序。將經常設定的項目安排到清單頂端相當有用。

若選擇此按鍵，將會顯示[清單的編輯]畫面。

有關更多詳情，請參照"[清單的編輯]畫面"（第12頁）。

■原稿放置方向

若選擇此按鍵，將會顯示[原稿放置方向]畫面。

從[文字可讀方向]和[文字橫向]進行選擇，然後選擇[設定]。

補充 • 當在[頁連寫]畫面上選擇了[左邊裝訂原稿(橫式書寫)]、[右邊裝訂原稿(直式書寫)]或[上邊裝訂原稿]，就無法設定此功能。

■掃描尺寸

若選擇此按鍵，將會顯示[掃描尺寸]畫面。

選擇文件尺寸再選擇[設定]。

■原稿畫質

從[文字/照片]、[文字]和[照片]中選擇。

■掃描濃度

從[濃(+3)]、[濃(+2)]、[濃(+1)]、[普通]、[淡(+1)]、[淡(+2)]和[淡(+3)]中選擇。

■頁連寫

若選擇此按鍵，將會顯示[頁連寫]畫面。

有關更多詳情，請參照"[頁連寫]畫面"（第14頁）。

■畫質/檔案量

若選擇此按鍵，將會顯示[畫質/檔案量]畫面。

有關更多詳情，請參照"[畫質/檔案量]畫面"（第15頁）。

■防止印出背面

掃描雙面列印的文件(如薄紙張)時，此功能可防止印出紙張背面。

從[有]和[無]中選擇。

■去除白紙

如果原稿中有白紙，可以去除該白紙後再進行掃描。從[有]和[無]中選擇。

■追加原稿

可以設定掃描開始後的畫面中[有下一張原稿]和[無下一張原稿]的選擇狀態。

如選擇[無]，則掃描開始後的畫面中的[無下一張原稿]變為勾選狀態。如果有下一張原稿，需要按下[有下一張原稿]。

如選擇[有]，則掃描開始後的畫面中[有下一張原稿]變為勾選狀態。有下一張原稿時會繼續掃描，只需在掃描最終頁時按下[無下一張原稿]。

■不同尺寸原稿

您可以同時掃描不同尺寸的文件，並複印對應尺寸或所選擇的其中一個尺寸。從[有]和[無]中選擇。

■去除底色

您可以去除文件的背景顏色(如報紙和彩色文件)。從[有]和[無]中選擇。

■色彩模式

有關[色彩模式]的詳情，請參照“色彩模式”（第10頁）。

■雙面原稿輸送

有關[雙面原稿輸送]的詳情，請參照“雙面原稿輸送”（第10頁）。

■掃描解析度

從[200 dpi]、[300 dpi]、[400 dpi]和[600 dpi]中選擇。

■檔案名稱

若選擇此按鍵，將會顯示[檔案名稱]畫面。


有關更多詳情，請參照“[檔案名稱]畫面”（第12頁）。

重要 • 若將機器的語言設為泰文，則無法設定此項目。

[清單的編輯]畫面


在[清單的編輯]畫面上，可以變更[所有的功能]畫面上顯示的項目順序。

若要變更項目順序，請按住該項目並拖曳到所需的位置，然後再放開。



[檔案名稱]畫面

您可以輸入掃描資料的檔案名稱，和從已登記的模樣中選擇檔案名稱。



重要 • 若將機器的語言設為泰文，則無法設定檔案名稱。
 • 若使用郵件的工作流程所連結到的信箱，則將不會套用在此畫面設定的檔案名稱。

補充 • 檔案名稱需設在32個全形文字(64個半形文字)內。但是，若要使用CentreWare Internet Services擷取掃描的資料，則檔案名稱可設在14個全形文字(64個半形文字)內。
 • 您可以選擇多個按鍵(如檔案名稱按鍵和使用者名稱按鍵)來設定並用項目的檔案名稱，若發生此情況，各項目中間會自動輸入「_」。
 • [¥] (半形)、[-] (全形)和[~] (全形)無法正確顯示。

■檔案名稱顯示區域

您設定的檔案名稱將會顯示。

選擇檔案名稱顯示區域時會顯示鍵盤，可利用此鍵盤直接輸入以設定檔案名稱，也可以使用檔案名稱按鍵或使用者名稱按鍵來設定。

■自動設定檔案名稱

會自動將檔案名稱設定為「YYYY_MMDD_HHMMSS」。

補充 • 「YYYY_MMDD_HHMMSS」代表開始掃描工作的年-月-日-時-分-秒。

■全部刪除

刪除檔案名稱顯示區域中顯示的所有文字。

■刪除1個文字

刪除檔案名稱顯示區域顯示的最後一個文字。

■檔案名稱按鍵

透過選擇各按鍵，將按鍵名稱輸入至檔案名稱。

■使用者名稱按鍵

在經認證使用者登入時顯示目前的使用者名稱。若選擇此按鍵，將會把使用者名稱設為檔案名稱。

補充 • 不使用認證功能時，將不會顯示此按鍵。

■日期按鍵

會顯示日期。若選擇各按鍵，將會把該日期輸出至檔案名稱。

補充 • 將日期設定為檔案名稱時，只能刪除檔案名稱顯示區域中日期部分的「SS」。例如，在檔案名稱顯示區域顯示「YYYY_MMDD_HHMMSS」的狀態下刪除「SS」，檔案名稱將變為「YYYY_MMDD_HHMM」的格式。
但是，只能刪除「SS」。如果刪除或變更了「SS」以外的字串，則可能無法識別為日期。


■日期的形式...

會顯示[日期的形式]畫面。

有關更多詳情，請參照"[日期的形式]畫面" (第13頁)。

[日期的形式]畫面

讓您可以變更顯示在日期按鍵上的日期形式。



■區分文字

從[(無)]、[_]、[-]和[.]中選擇輸入至YYYY、MMDD、DDMM和HHMMSS的區分文字。

■日期的顯示格式

讓您可以選擇日期的顯示格式。

- 補充**
- 您在[區分文字]設定的內容會套用到顯示在這裡的選項。
 - 以「YYYY_MMDD_HHMM」格式命名檔案名稱時，直接在檔案名稱顯示區域輸入「YYYY_MMDD_HHMM」。或按下日期鍵，待檔案名稱顯示區域中顯示「YYYY_MMDD_HHMMSS」後刪除「SS」。

[頁連寫]畫面

頁連寫是一種功能，用於根據頁面順序分別掃描文件的兩張對開頁面。

在分別掃描文件的左頁和右頁時，此功能很有用。



- 補充**
- 送稿裝置無法使用此功能。
 - 除了標準尺寸文件和無法辨識尺寸的文件，其他可能無法正確分為兩類。
 - 當[雙面原稿輸送]在[簡便信箱儲存]和[所有的功能]畫面上設為[雙面(左右對開)]或[雙面(上下對開)]時，為避免設為頁連寫，機器會自動選擇[單面]。

■無

請勿使用頁連寫功能。

■左邊裝訂原稿(橫式書寫)

首先會掃描從左邊開始的對開頁面左頁。

- 補充**
- 若選擇此按鍵，將會在[所有的功能]畫面將[原稿放置方向]從[文字橫向]變更為[文字可讀方向]。

■右邊裝訂原稿(直式書寫)

首先會掃描從右邊開始的對開頁面右頁。

- 補充**
- 若選擇此按鍵，將會在[所有的功能]畫面將[原稿放置方向]從[文字橫向]變更為[文字可讀方向]。

■上邊裝訂原稿

首先會掃描從上邊開始的對開頁面上頁。

- 補充**
- 若選擇此按鍵，將會在[所有的功能]畫面將[原稿放置方向]從[文字可讀方向]變更為[文字橫向]。

■兩頁

將根據您設定的順序來掃描兩頁。

■左頁

僅掃描左頁。此按鍵可以在選為[左邊裝訂原稿(橫式書寫)]或[右邊裝訂原稿(直式書寫)]時選擇。

■右頁

僅掃描右頁。此按鍵可以在選為[左邊裝訂原稿(橫式書寫)]或[右邊裝訂原稿(直式書寫)]時選擇。

■上頁

僅掃描上頁。此按鍵可以在選為[上邊裝訂原稿]時選擇。

■下頁

僅掃描下頁。此按鍵可以在選為[上邊裝訂原稿]時選擇。

■中間消除

消除對開文件中間的印出區域。將橫設定為0到50mm(以mm為單位遞增)。

透過下列任一方法指定數量：

- 透過選擇值顯示區域後顯示的鍵盤

補充 • 如果輸入的值錯誤，請按下[C]。輸入值並選擇[OK]後，數字鍵盤會消失。

- 使用[+]和[-]按鍵。


- 使用控制面板上的數字鍵盤。

補充 • 如果輸入的值錯誤，請按控制面板上的<清除 (C)>鍵。

[畫質/檔案量]畫面

讓您可以設定文件的畫質和檔案量。

從5個程度[標準畫質][檔案量小]到[超高畫質][檔案量大]中選擇。




建立OneTouch應用程式

您可以在變更「簡便信箱儲存」的設定值後建立OneTouch應用程式。

補充 • OneTouch應用程式僅可在簡單功能表畫面中建立並進行操作。在通常的功能畫面進行操作時，將不顯示「OneTouch應用程式的建立」功能。

- 1 在[簡便信箱儲存]或[所有的功能]畫面上，可進行所需功能的設定。




補充 • 以下程序選擇框001，然後選擇[色彩模式]的[黑白(2色階)]和[雙面原稿輸送]的[雙面(左右對開)]做為範例。

2 選擇 按鈕。



3 選擇[OneTouch應用程式的建立]。



4 依需要設定功能。



補充

- OneTouch應用程式名稱最多可設為兩行(每行最多8個全形文字(16個半形文字))。
- [名稱(第1行)]、[名稱(第2行)]和[說明]中無法正確顯示[¥](半形)、[-](全形)和[~](全形)。

■名稱(第1行)：

您可以使用觸控式顯示幕上顯示的鍵盤來編輯第1行字串。

■名稱(第2行)：

您可以使用觸控式顯示幕上顯示的鍵盤來編輯第2行字串。

■圖示：

會顯示目前圖示。

若選擇[圖示的變更]，將會顯示[圖示的變更]畫面。選擇您要變更的圖示再選擇[設定]。

■即刻執行：

您可以設定OneTouch應用程式的行為。

當您選擇[有]，則僅能透過選擇功能鍵來開始工作，且  會隨圖示顯示。

當您選擇[無]，則選擇功能鍵會顯示說明功能概覽的畫面。若要開始工作，請按下<啟動>鍵。

■應用程式：

顯示OneTouch應用程式的類型。此項目無法編輯。

■說明：

您可以使用觸控式顯示幕上顯示的鍵盤來輸入功能說明。

5 選擇[建立]。

補充

- 已建立的OneTouch應用程式會顯示在最靠近「自定義功能」畫面上未顯示功能鍵的左上方區域位置上。
- 顯示名稱、圖示、功能說明和開始工作的行為皆可以變更。

複製應用程式

您可以變更初值和「簡便信箱儲存」功能的顯示順序，並從[簡便信箱儲存]按鍵建立不同的功能鍵。

補充

- 應用程式的複製僅可在簡便功能畫面中創建並進行操作。在通常的功能畫面進行操作時，將不顯示「應用程式的複製」功能。

1 在[簡便信箱儲存]或[所有的功能]畫面上，可進行所需OneTouch應用程式的設定。



補充

- 以下程序選擇框001，然後選擇[色彩模式]的[黑白(2色階)]和[雙面原稿輸送]的[雙面(左右對開)]做為範例。

2 選擇 按鍵。



3 選擇[應用程式的複製]。



4 依需要設定功能。



- 補充**
- OneTouch應用程式名稱最多可設為兩行(每行最多8個全形文字(16個半形文字))。
 - [名稱(第1行)]、[名稱(第2行)]和[說明]中無法正確顯示[¥](半形)、[-](全形)和[~](全形)。

■名稱(第1行)：

您可以使用觸控式顯示幕上顯示的鍵盤來編輯第1行字串。

■名稱(第2行)：

您可以使用觸控式顯示幕上顯示的鍵盤來編輯第2行字串。

■圖示：

會顯示目前圖示。

若選擇[圖示的變更]，將會顯示[圖示的變更]畫面。選擇您要變更的圖示再選擇[設定]。

■應用程式：

會顯示應用程式的類型。此項目無法編輯。

■說明：

您可以使用觸控式顯示幕上顯示的鍵盤來輸入功能說明。

5 選擇[建立]。

- 補充**
- 已建立的應用程式會顯示在最靠近「自定義功能」畫面上未顯示功能鍵的左上方區域位置上。
 - 顯示名稱、圖示、功能說明和開始工作的行為皆可以變更。

機器管理者設定

機器管理者設定可以變更[檔案名稱]畫面上檔案名稱按鍵的固定字串。


若將常用的檔案名稱登記，在掃描時會很方便。

還可以與自動掃描共用檔案名稱按鍵的固定字串。

重要 • 若將機器的語言設為泰文，則無法設定檔案名稱。

補充 • 對於具有機器管理者權限的經認證使用者，若選擇[簡便信箱儲存]畫面或[所有的功能]畫面上的[]按鍵，也會顯示機器管理者設定畫面。

- 1 按下控制面板上的<認證>鍵。
- 2 使用畫面上顯示的數字鍵盤或鍵盤輸入機器管理者的使用者ID，並選擇[確定]。




補充 • 如果需要輸入密碼，請先輸入機器管理者的使用者ID和密碼，然後選擇[下一步]。

- 3 選擇「自定義功能」畫面上的[簡便信箱儲存]按鍵。



- 4 選擇 。



- 5 按下[檔案名稱的固定字串]，從顯示的功能中選擇是否使用自動掃描的固定字串。



■[不使用自動掃描的固定字串]

若選擇不使用，將顯示簡便信箱儲存中設定的固定字串。

■[使用自動掃描的固定字串]

若選擇使用，將顯示自動掃描的管理者設定的[檔案名稱的固定字串]中設定的固定字串。

補充 • 如果未安裝自動掃描，或自動掃描的版本過低，則不能使用此功能。

- 6 選擇按鍵以變更其固定字串。



補充 • 作為初值，12個檔案名稱已登記。

- 7 透過顯示的鍵盤變更字串再選擇[設定]。



補充 • 最多可登記7個全形文字(14個半形文字)。當輸入的文字多於7個全形文字(14個半形文字)，超過最大值的文字會被刪除。
• [¥] (半形)、[-] (全形)和[~] (全形)無法正確顯示。

- 8 選擇[設定]。

選擇[使用自動掃描的固定字串]時，此處設定的內容也會反映在自動掃描管理者設定的[檔案名稱的固定字串]中。

- 9 選擇[關閉]。

發生故障時

本節將說明使用「簡便信箱儲存」期間您的機器可能發生的故障和其解決方法。

訊息	原因與矯正
無法使用此功能。	當「簡便信箱儲存」因某些理由無法使用時，即會顯示此訊息。 關閉機器電源，確定觸控式顯示幕為空白後，再開啓電源。如果相同訊息再次顯示，請聯繫客戶支援中心。
沒有可使用的機密信箱。 請登記機密信箱。	當目前的使用者沒有可使用的信箱時，即會顯示此訊息。 使用認證功能時，可以使用各個認證使用者登記的信箱以及由機器管理者登記但沒有密碼的信箱。 不使用認證功能時，可以使用一般使用者或機器管理者所登記的不具有密碼的信箱。 上述信箱不存在時，可在[設定/登記]畫面上[設定]下的[信箱登記]，或是[設定]畫面上的[信箱登記]中登記新的信箱。
已刪除機密信箱XXX。 沒有可使用的機密信箱。 請登記機密信箱。	當功能鍵在[複製應用程式]中複製，或是設定的信箱已刪除，和設定[初值儲存]中沒有其他可使用的信箱時，即會顯示此訊息。 使用認證功能時，可以使用各個認證使用者登記的信箱以及由機器管理者登記但沒有密碼的信箱。 不使用認證功能時，各個一般使用者或機器管理者登記的信箱，以及沒有密碼的信箱。 上述信箱不存在時，可在[設定/登記]畫面上[設定]下的[信箱登記]，或是[設定]畫面上的[信箱登記]中登記新的信箱。
無法啓動。 設定有[頁連寫]時，請將原稿放置於玻璃面板後按[啓動]鍵。	當選擇了[頁連寫]，且將文件放置在自動送稿裝置上再按下了控制面板上的<啓動>鍵時，即會顯示此訊息。 選擇[關閉]以返回上一個畫面、將文件放置在玻璃面板上，再按下了控制面板上的<啓動>鍵。
無法啓動。 此按鍵已被機器管理者刪除，無法使用。 請從功能刪除此按鍵。	當此功能因某些理由無法使用時，即會顯示此訊息。 關閉機器電源，確定觸控式顯示幕為空白後，再開啓電源。如果相同訊息再次顯示，請聯繫客戶支援中心。

以下內容將說明使用認證功能期間您的機器可能發生的故障和其解決方法。

訊息	原因與矯正
無法啓動。 您被禁止使用此功能。	當被限制使用掃描功能的使用者啓動此功能時，即會顯示此訊息。 機器管理者可在[設定/登記]畫面上[總計管理]>[使用者登記/總計確認]下的[功能項目的使用限制]中取消[掃描]限制。

訊息	原因與矯正
無法啟動。 您所掃描的累積頁數已達上限。 請與機器管理者聯絡。	當目前的使用者所掃描的累積頁數已達上限時，即會顯示此訊息。 機器管理者可採取以下之一措施： - 在[設定/登記]畫面上[總計管理]>[使用者登記/總計確認]下的[累積頁數的重設]中重設限制頁數。 - 可在[設定/登記]畫面上[總計管理]>[使用者登記/總計確認]下的[功能項目的使用限制]增加掃描的許可頁數上限。
無法啟動。 您被禁止使用此功能。	可能的原因如下： - 被限制使用掃描功能的使用者按下<啟動>鍵。 - 目前的使用者未登記為認證使用者。 對機器管理者而言， 針對情況1)，在[設定/登記]畫面上[總計管理]>[使用者登記/總計確認]下的[功能項目的使用限制]中取消[掃描]限制。 針對情況2)，可在[設定/登記]畫面上[總計管理]下的[使用者登記/總計確認]中登記使用者。

檢查詳細資訊

聯絡我們時可能需要此功能的詳細資訊。請遵循以下的步驟檢查資訊。

- 1 使用「簡便信箱儲存」時在控制面板上按住<暫停>鍵五秒鐘以上。
- 2 檢查畫面上的資訊。



- 3 選擇[關閉]。

注意事項與限制

本節將說明使用「簡便信箱儲存」時的注意事項與限制。

- 當停用經認證功能時，可以使用一般使用者或機器管理者所登記的不具有密碼的信箱。此功能無法使用具有密碼的信箱。
當啟用經認證功能時，請參照“使用認證功能時的注意事項與限制”（第23頁）。
- 在下列情況中，將[掃描解析度]設為[600 dpi]時發生錯誤且文件是以400 dpi進行掃描。
 - 已設為全彩。（包含透過將[自動]設定為[色彩模式]讓文件被辨識為彩色文件時）
 - 設定為不同尺寸原稿時。
 - 設定為雙面時。
- 當與DocuLyzer(分開販售)或CoinKit(分開販售)等機器連接時，無法保證此功能可用。
- 相較於標準選單和畫面，外部應用程式「簡便信箱儲存」在啟動後需經過較長的時間後您才能進行操作。
- 若將機器的語言設為泰文，則無法設定檔案名稱。
- 若使用郵件的工作流程所連結到的信箱，則將不會套用在[檔案名稱]畫面設定的檔案名稱。

■使用認證功能時的注意事項與限制

使用經認證功能時的其他注意事項與限制列於下方。

- 各經認證使用者所登記的信箱，以及機器管理者所登記的不具有密碼的信箱，可用於此功能。
- 當IC卡讀卡器(分開販售)和IC卡讀卡器(選購)連接到您的機器時才能使用此功能。
- 當[認證方式設定]設為[外部認證]，且[認證系統]選為[Authentication Agent]以外的選項時，功能限制就不會套用到此應用程式中包含的功能。因此，就算掃描功能受到限制，[簡便信箱儲存]仍可以使用。
- 當經認證使用者名稱包含半形文字（如「#」、「\$」、「%」、「^」、「&」、「=」、「/」、「@」、「,」、「\」和「:」）時，如果這項功能從「自定義功能」畫面開啓，則將發生錯誤並且無法使用此功能。
- 當在未認證模式下顯示「自定義功能」時，若使用「經認證的使用者」登入，則選單不會被更新。若想更新選單，請按重設鍵。

About Licenses

Explain about licenses from this page. Please certainly confirm them.

Easy Store to Folder

Copyright 2016 Fuji Xerox Co., Ltd. All rights reserved.

* Fuji Xerox products include open source software ("OSS") distributed under the terms of various open source licenses. Please see the following table and each license below.

"OSS Table"(Easy Store to Folder)

Applied License	OSS	Copyright Display
The MIT License (MIT) [License Text 1]	jQuery 1.8.3	Copyright 2013 jQuery Foundation and other contributors http://jquery.com/
	jQuery Mobile 1.2.0	Copyright 2012 jQuery Foundation and other contributors
	jQuery UI 1.10.0	Copyright (c) 2013 jQuery Foundation and other contributors Licensed MIT
	iScroll 4.2.5	Copyright (c) 2012 Matteo Spinelli, http://cubiq.org
	es6-promise 2.0.0	Copyright (c) 2014 Yehuda Katz, Tom Dale, Stefan Penner and contributors (Conversion to ES6 API by Jake Archibald)
Apache License, Version 2.0 [License Text 2]	Apache Axis C++	Copyright 2000-2005 The Apache Software Foundation.
	Apache Xerces-C++	Copyright Apache Software Foundation Copyright 2011 Fuji Xerox Co., Ltd
	csvpp	http://code.google.com/p/csvpp/
OpenSSL License Original SSLeay license [Dual License] [License Text 3]	Open SSL	[Open SSL License] Copyright (c) 1998-2016 The OpenSSL Project. All rights reserved. [Original SSLeay License] Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
zlib License [License Text 4]	zlib	Copyright (C) 1995-1998 Jean-loup Gailly and Mark Adler
Info-ZIP License [License Text 5]	Info-ZIP	Copyright (c) 1990-1999 Info-ZIP. All rights reserved.

[License Text 1]

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,

FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

[License Text 2]

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50 %) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an

individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the

License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/ or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the

same "printed page" as the copyright notice for easier identification within third-party archives.

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

[License Text 3]

This product includes software developed by the OpenSSL Project for use in the OpenSSL Toolkit. (<http://www.openssl.org/>) "This product includes cryptographic software written by Eric Young (eay@cryptsoft.com)

OpenSSL License

```
-----
/* =====
*
* Redistribution and use in source and binary forms, with or without modification, are permitted
* provided that the following conditions are met:
*
* 1. Redistributions of source code must retain the above copyright notice, this list of conditions
* and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright notice, this list of
* conditions
* and the following disclaimer in the documentation and/or other materials provided with
* the distribution.
*
* 3. All advertising materials mentioning features or use of this software must display the
* following acknowledgment: "This product includes software developed by the OpenSSL Project
* for use in the OpenSSL Toolkit. (http://www.openssl.org/)"
*
* 4. The names "OpenSSL Toolkit" and "OpenSSL Project" must not be used to products derived
* from
* this software without prior written permission. For written permission, please contact
* openssl-core@openssl.org.
*
* 5. Products derived from this software may not be called "OpenSSL" nor may "OpenSSL" appear
* in
* their names without prior written permission of the OpenSSL Project.
*
* 6. Redistributions of any form whatsoever must retain the following acknowledgment:
```

```

* "This product includes software developed by the OpenSSL Project for use in the OpenSSL
Toolkit
* (http://www.openssl.org/)"
*
* THIS SOFTWARE IS PROVIDED BY THE OpenSSL PROJECT ``AS IS'' AND ANY EXPRESSED OR
* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
* IN NO EVENT SHALL THE OpenSSL PROJECT OR ITS CONTRIBUTORS BE LIABLE FOR ANY
* DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
* DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
* OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
* LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*
* =====
*
* This product includes cryptographic software written by Eric Young (eay@cryptsoft.com).
* This product includes software written by Tim Hudson (tjh@cryptsoft.com).
*
*/

/*
* This package is an SSL implementation written by Eric Young (eay@cryptsoft.com).
* The implementation was written so as to conform with Netscapes SSL.
*
*
* This library is free for commercial and non-commercial use as long as the following conditions
* are aheared to. The following conditions apply to all code found in this distribution,
* be it the RC4, RSA, lhash, DES, etc., code; not just the SSL code. The SSL documentation
* included with this distribution is covered by the same copyright terms except that the holder
* is Tim Hudson (tjh@cryptsoft.com).
*
*
* Copyright remains Eric Young's, and as such any Copyright notices in the code are not to be
removed.
*
* If this package is used in a product, Eric Young should be given attribution as the author of
* the parts of the library used.
*
* This can be in the form of a textual message at program startup or in documentation (online
* or textual) provided with the package.
*
*
* Redistribution and use in source and binary forms, with or without modification, are permitted
* provided that the following conditionsare met:
*
* 1. Redistributions of source code must retain the copyright notice, this list of conditions and
* the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright notice, this list of
* conditions and the following disclaimer in the documentation and/or other materials
* provided with the distribution.
*
* 3. All advertising materials mentioning features or use of this software must display the
* following acknowledgement:

```

* "This product includes cryptographic software written by Eric Young (eay@cryptsoft.com)" The word

* 'cryptographic' can be left out if the routines from the library being used are not cryptographic

* related :-).

* 4. If you include any Windows specific code (or a derivative thereof) from the apps directory

* (application code) you must include an acknowledgement: "This product includes software

written

* by Tim Hudson (tjh@cryptsoft.com)"

*

* THIS SOFTWARE IS PROVIDED BY ERIC YOUNG ``AS IS'' AND ANY EXPRESS OR IMPLIED

* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF

* MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO

* EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT,

* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT

* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,

* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY

THEORY

* OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING

* NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS

SOFTWARE,

* EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE..

*

* The licence and distribution terms for any publically available version or derivative of this code

* cannot be changed. i.e. this code cannot simply be copied and put under another distribution

* licence [including the GNU Public Licence.]

*/

[License Text 4]

THIS FILE is almost entirely based upon code by Jean-loup Gailly and Mark Adler. It has been modified by Lucian Wischik. The modifications were: incorporate the bugfixes of 1.1.4, allow unzipping to/from handles/pipes/files/memory, encryption, unicode, a windowsish api, and putting everything into a single .cpp file. The original code may be found at <http://www.gzip.org/zlib/>

The original copyright text follows.

zlib.h -- interface of the 'zlib' general purpose compression library version 1.1.3, July 9th, 1998

This software is provided 'as-is', without any express or implied warranty. In no event will the authors be held liable for any damages arising from the use of this software.

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.

3. This notice may not be removed or altered from any source distribution.

Jean-loup Gailly Mark Adler
jloup@gzip.org madler@alumni.caltech.edu

The data format used by the zlib library is described by RFCs (Request for Comments) 1950 to 1952 in the files <ftp://ds.internic.net/rfc/rfc1950.txt> (zlib format), [rfc1951.txt](ftp://ds.internic.net/rfc/rfc1951.txt) (deflate format) and [rfc1952.txt](ftp://ds.internic.net/rfc/rfc1952.txt) (gzip format).

The 'zlib' compression library provides in-memory compression and decompression functions, including integrity checks of the uncompressed data. This version of the library supports only one compression method (deflation) but other algorithms will be added later and will have the same stream interface.

Compression can be done in a single step if the buffers are large enough (for example if an input file is mmap'ed), or can be done by repeated calls of the compression function. In the latter case, the application must provide more input and/or consume the output (providing more output space) before each call.

The library also supports reading and writing files in gzip (.gz) format with an interface similar to that of stdio.

The library does not install any signal handler. The decoder checks the consistency of the compressed data, so the library should never crash even in case of corrupted input.

for more info about .ZIP format, see <ftp://ftp.cdrom.com/pub/infozip/doc/appnote-970311-iz.zip>

PkWare has also a specification at <ftp://ftp.pkware.com/probdesc.zip>

[License Text 5]

This is version 1999-Oct-05 of the Info-ZIP copyright and license.

The definitive version of this document should be available at <ftp://ftp.cdrom.com/pub/infozip/license.html> indefinitely.

For the purposes of this copyright and license, "Info-ZIP" is defined as the following set of individuals:

Mark Adler, John Bush, Karl Davis, Harald Denker, Jean-Michel Dubois, Jean-loup Gailly, Hunter Goatley, Ian Gorman, Chris Herborth, Dirk Haase, Greg Hartwig, Robert Heath, Jonathan Hudson, Paul Kienitz, David Kirschbaum, Johnny Lee, Onno van der Linden, Igor Mandrichenko, Steve P. Miller, Sergio Monesi, Keith Owens, George Petrov, Greg Roelofs, Kai Uwe Rommel, Steve Salisbury, Dave Smith, Christian Spieler, Antoine Verheijen, Paul von Behren, Rich Wales, Mike White

This software is provided "as is," without warranty of any kind, express or implied. In no event shall Info-ZIP or its contributors be held liable for any direct, indirect, incidental, special or consequential damages arising out of the use of or inability to use this software.

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. Redistributions of source code must retain the above copyright notice, definition, disclaimer, and this list of conditions.
2. Redistributions in binary form must reproduce the above copyright notice, definition, disclaimer, and this list of conditions in documentation and/or other materials provided with the distribution.
3. Altered versions--including, but not limited to, ports to new operating systems, existing ports with new graphical interfaces, and dynamic, shared, or static library versions--must be plainly marked as such and must not be misrepresented as being the original source. Such altered versions also must not be misrepresented as being Info-ZIP releases--including, but not limited to, labeling of the altered versions with the names "Info-ZIP" (or any variation thereof, including, but not limited to, different capitalizations), "Pocket UnZip," "WiZ" or "MacZip" without the explicit permission of Info-ZIP. Such altered versions are further prohibited from misrepresentative use of the Zip-Bugs or Info-ZIP e-mail addresses or of the Info-ZIP URL(s).
4. Info-ZIP retains the right to use the names "Info-ZIP," "Zip," "UnZip," "WiZ," "Pocket UnZip," "Pocket Zip," and "MacZip" for its own source and binary releases.

索引

"OSS Table" (Easy Store to Folder) 24

A

About Licenses 24

E

Easy Store to Folder 24

O

OneTouch應用程式 (簡便信箱儲存) 15

六畫

色彩模式 10

八畫

初值儲存 9

初值儲存 (簡便信箱儲存) 9, 10

取消簡便信箱儲存 8

十一畫

掃描解析度 12

清單的編輯 (簡便信箱儲存) 12

十二畫

發生故障時 (簡便信箱儲存) 21

十三畫

詳細資訊 (簡便信箱儲存) 22

十五畫

複製應用程式 (簡便信箱儲存) 17

十六畫

機器管理者設定 (簡便信箱儲存) 19

十八畫

簡便信箱儲存 7

雙面原稿輸送 10

簡便信箱儲存操作說明書

Fuji Xerox Co., Ltd.

ME7820T2-1 (第1版)
2016年10月

© 2016 by Fuji Xerox Co., Ltd. 版權所有